EGEPLAST
"quality at plastic pipe"



Argiculture Product Catalogue

Ziraat Ürün Kataloğu

EGE YILDIZ
"plastik boruda kalite"

Farklı Yapılar,
Güçlü Çözümler

Diverse Structures,
Powerfull Solutions

Contents / İçindekiler

POLYETHYLENE PIPE IRRIGATION SYSTEMS
POLİETİLEN BORU YAĞMURLAMA SİSTEMLERİ

DRIP IRRIGATION SYSTEMS
DAMLA SULAMA SİSTEMLERİ

DEEP WELL PIPES & FITTINGS
SONDAJ BORU VE EK PARÇALARI

EGEPLAST
"quality at plastic pipe"

POLYETHYLENE PIPE IRRIGATION SYSTEMS

POLİETİLEN BORU YAĞMURLAMA SİSTEMLERİ



K - Q
TSE-ISO-EN 9000

TS EN ISO 9001:2008

EGE YILDIZ
"plastik boruda kalite"


EGEPLAST
"quality at plastic pipe"

POLYETHYLENE PIPE IRRIGATION SYSTEMS

PE Irrigation pipes and fittings are manufactured from High Density polyethyene. They can be used over ground with black color and easy jointing property. According to their jointing techniques PE Irrigation Pipes and Fittings are named as " PEP " and " KPEA ". PEP is the name of jointing technique with locking handle which are used in the diameters Ø75 , Ø90 and Ø 110 Ø125 mm and KPEA is the name of jointing technique with clamps which are in the diameters Ø125 , Ø140 and Ø160 mm.All pipes are manufactured in 5 and 6 meters lenghts. All fittings and accessories necessary to complete system are supplied with the same quality andrevelant material.

POLİETİLEN BORU YAĞMURLAMA SİSTEMLERİ

TSE standartlarında ve ISO 9000 kalitesine uygun olarak ürettiğimiz ve hammaddesi yüksek yoğunluklu Polietilen olduğu için PE Yağmurlama Boru ve Ek Parçaları olarak adlandırılmaktadır. Monte ve demonte edilebilen siyah rengi ve kırılmaz özelliği ile oprak üstü kullanıma uygundur. Birleştirme sistemlerine göre PEP ticari ismiyle mandallı birleştirme, KPEA ticari ismiyle kelepçeli birleştirme sistemleri olarak iki tiptir. PEP borular Ø75, Ø90, Ø110, Ø125 mm dış çaplarında, KPEA borular ise Ø125, Ø140, Ø160 mm dış çaplarında ve herbiri 5 metre ile 6 metre boylar halinde üretilmektedir. Yağmurlama sisteminin bir bütün olarak sorunsuz çalışabilmesi için gerekli tüm ek parçalar PVC veya PE' den üretilmektedir.




Zirai sulamada Türkiye'nin öncü markası Tam 59 yıldır...

Leading Brand in Agricultural Irrigation Since 59 years...







EGE YILDIZ
"plastik boruda kalite"

ECO PEP IRRIGATION PIPE (TWO LATCHES)
EKO PEP YAĞMURLAMA BORUSU (İKİ MANDALLI)
PEP труба для орошения (с двумя защелками)
أنابيب الري بيب



NEW PRODUCT

SDR 33

ITEM CODE Kod No	Ød Ød	L (mm) L (mm)
080010755000 E	75	5000
080010756000 E	75	6000
080010905000 E	90	5000
080010906000 E	90	6000
080011105000 E	110	5000
080011106000 E	110	6000

ECO PEP IRRIGATION PIPE (THREE LATCHES)
EKO PEP YAĞMURLAMA BORUSU (ÜÇ MANDALLI)
PEP труба для орошения (с двумя защелками)
أنابيب الري بيب



NEW PRODUCT

SDR 33

ITEM CODE Kod No	Ød Ød	L (mm) L (mm)
080041105000 E	110	5000
080041106000 E	110	6000
080041255000 E	125	5000
080041256000 E	125	6000

PEP IRRIGATION PIPE (TWO LATCHES)
PEP YAĞMURLAMA BORUSU (İKİ MANDALLI)
PEP труба для орошения (с двумя защелками)
أنابيب الري بيب



SDR 33

ITEM CODE Kod No	Ød Ød	L (mm) L (mm)
080010755000	75	5000
080010756000	75	6000
080010905000	90	5000
080010906000	90	6000
080011105000	110	5000
080011106000	110	6000

SDR 26

ITEM CODE Kod No	Ød Ød	L (mm) L (mm)
080030755000	75	5000
080030756000	75	6000
080030905000	90	5000
080030906000	90	6000
080031105000	110	5000
080031106000	110	6000

PEP IRRIGATION PIPE (THREE LATCHES)
PEP YAĞMURLAMA BORUSU (ÜÇ MANDALLI)
PEP труба для орошения (с двумя защелками)
أنابيب الري بيب



SDR 33

ITEM CODE Kod No	Ød Ød	L (mm) L (mm)
080041105000	110	5000
080041106000	110	6000
080041255000	125	5000
080041256000	125	6000

SDR 26

ITEM CODE Kod No	Ød Ød	L (mm) L (mm)
080051105000	110	5000
080051106000	110	6000
080051255000	125	5000
080051256000	125	6000

KPEA IRRIGATION PIPE (WITH BRACELETTE)
KPEA YAĞMURLAMA BORUSU (KELEPÇELİ)
KPEA труба
أنابيب الري

SDR 33 & SDR27.6

ITEM CODE Kod No	Ød Ød	L (mm) L (mm)
080011255000A	125	5000
080011256000A	125	6000
080011405000A	140	5000
080011406000A	140	6000
080011605000A	160	5000
080011606000A	160	6000

SDR 26

ITEM CODE Kod No	Ød Ød	L (mm) L (mm)
080031255000A	125	5000
080031256000A	125	6000
080031405000A	140	5000
080031406000A	140	6000
080031605000A	160	5000
080031606000A	160	6000



FURROW IRRIGATION PIPES
PEP KARIK SULAMA BORUSU
Труба для орошения
موزع الري

ITEM CODE Kod No	Ød Ød	L (mm) L (mm)
080020756000	75	6000
080020906000	90	6000
080021106000	110	6000



PEP MOTO POMP CONNECTION PIECE
PEP MOTOPOMP BAĞLANTI DEMİRİ
(PEP) Деталь соединения с мотопомпой
و صلة مضخة أنابيب

ITEM CODE Kod No	Ød Ød
08145075	75
08145090	90
08145110	110



PEP MOTO POMP CONNECTION PIECE
PEP MOTOPOMP BAĞLANTISI DÖKÜM
(PEP) Деталь соединения с мотопомпой
و صلة مضخة أنابيب

ITEM CODE Kod No	Ød Ød
08145075DKM	75
08145090DKM	90
08145110DKM	110
08145125DKM3M	125



KPEA MOTO-PUMP CONNECTION PIECE
KPEA MOTOPOMP BAĞLANTI DEMİRİ
Деталь соединения с мотопомпой (KPEA)

صلة مضخة بيب



ITEM CODE Kod No	Ød Ød
M. Con. Piece M. B. Demiri	Bracellette Kelepçe
0814125A+ 07120125	125
08145140+ 07120140	140
08145160+ 07120160	160

PEP GOOSENECK
PEP KAZBOYNU
Удлинитель-отвод (ПВХ)

أنبوب منحني بيب



ITEM CODE Kod No	Ød Ød
08054075PE	75
08054090PE	90
08054110PE	110

PEP TEE
PEP TE
PEP тройник

تي



ITEM CODE Kod No	Ød Ød
08056075PE	75/75
080560900075PE	90/75
08056090PE	90/90
080561100075	110/75
080561100090PE	110/90
08056110PE	110/110
0805612501253M	125/125

KPEA TEE
KPEA TE
KPEA тройник

تي



ITEM CODE Kod No	Ød Ød
08056125PE	125/125
08056140PE	140/140
080561600125A	160/125
08056160 PE	160/160

KPEA PEP TEE
KPEA PEP TE
KPEA-PEP тройник
تي نقاص

ITEM CODE Kod No	Ød Ød
080561250110PE	125/110
080561250075PE	125/75
080561400110PE	140/110
080561600075PE	160/75
080561600090PE	160/90
080561600110PE	160/110



KPEA-PEP DOUBLE BRANCH 90°
KPEA-PEP İSTAVROZ 90°
KPEA-PEP крестовина 90°
كروس بمربط

ITEM CODE Kod No	Ød Ød
086341250075A	125/75
086341250090A	125/90
086341400075A	140/75
086341400090A	140/90
086341400110A	140/110
086341600075A	160/75
086341600090A	160/90
086341600110A	160/110



PEP DOUBLE BRANCH 90°
PEP İSTAVROZ 90°
PEP крестовина 90°
كروس بمربط

ITEM CODE Kod No	Ød Ød
086341100075	110/75
086341100090	110/90
0863412500753M	125/75
0863412500903M	125/90
0863412501103M	125/110



PEP BEND 90°
PEP DEVEBOYNU 90°
PEP отвод 90°
كوع

ITEM CODE Kod No	Ød Ød
08053075PE	75/75
08053090PE	90/90
08053110PE	110/110
080531253M	125/125



KPEA BEND 90 °
KPEA DEVEBOYNU 90°
KPEA отвод 90°
كوع



ITEM CODE Kod No	Ød (mm) Ød (mm)
08053125PE	125/125
08053140PE	140/140
08053160PE	160/160

PEP REDUCER
PEP REDÜKSİYON
PEP переходник
نقاص



ITEM CODE Kod No	Ød (mm) Ød (mm)
080550900075PE	90/75
080551100075PE	110/75
080551100090PE	110/90
08055112501103M	125/110

KPEA-PEP REDUCER
KPEA-PEP REDÜKSİYON
KPEA-PEP переходник
نقاص بمربط



ITEM CODE Kod No	Ød (mm) Ød (mm)
080551250110U	125/110
0805512501253M	125/125
080551400110U	140/110
080551600110U	160/110

KPEA REDUCER
KPEA REDÜKSİYON
KPEA переходник
نقاص بمربط



ITEM CODE Kod No	Ød (mm) Ød (mm)
080551400125U	140/125
080551250125	125/125
080551600125U	160/125
080551600140U	160/140

PEP ADAPTER FOR A/2
PEP ARA PARÇA A/2 İÇİN
Адаптор для A/2
محول بقاعده



ITEM CODE Kod No	Ød X R" Ød X R"
08063075 KISA	75x1''
08063075PE	75 X 1"
08063090PE	90 X 1"

PEP ADAPTER FOR A/2
PEP ARA PARÇA A/2 İÇİN
Адаптор для A/2
محول بقاعده معدنيه

ITEM CODE Kod No	Ød X R″ Ød X R″
08063110PE	110 X 1″




PEP ADAPTER FOR B/2
PEP ARAPARÇA B/2 İÇİN
Адаптор для B/2
محول بقاعده

ITEM CODE Kod No	Ød X R″ Ød X R″
08073075PE	75 X 1 1/2″
08073090PE	90 X 1 1/2″



PE RISER PIPE
PE UZATMA BORUSU
ПЭ труба-удлинитель
أنابيب نهديد بسن


ITEM CODE Kod No	R″ R″	L (cm) L (cm)
100630320035PE	1″	35 cm



PVC RISER PIPE
PVC UZATMA BORUSU
ПВХ труба-удлинитель
وصله نهديد

ITEM CODE Kod No	R″ R″	L (cm) L (cm)
100630200025	1/2″	25 cm
100630200035	1/2″	35 cm
100630200050	1/2″	50 cm
100630200060	1/2″	60 cm
100630200100	1/2″	100 cm
100630250035	3/4″	35 cm
100630250050	3/4″	50 cm
100630250100	3/4″	100 cm

ITEM CODE Kod No	R″ R″	L (cm) L (cm)
100630320035	1″	35 cm
100630320050	1″	50 cm
100630320060	1″	60 cm
100630320075	1″	75 cm
100630320100	1″	100 cm
100630320125	1″	125 cm
100630500030	1 1/2″	35 cm
100630500050	1 1/2″	50 cm



EGE AUTOMATIC VALVE
EGE OTOMATİK VANA
Автоматический вентиль
صمام آلي


ITEM CODE Kod No	R″ R″
10156	1″ (Komple)



EGE AUTOMATIC VALVE UPPER PIECE AND O RING
EGE OTOMATİK VANA ÜST PARÇASI ve O RİNG CONTA

Верхняя часть автоматического вентиля и уплотнительное кольцо (o ring)

قطعة الصمام الآلي العليا




ITEM CODE Kod No	
10156002	Top Piece / Üst Parça
10154007	Oring Gasket / Oring Conta

A/2 SPRINKLER (Adjustable)
A/2 SPRİNK (Açısız)

A/2 спринклер (регулируемый)

A/2 (مرشة بلاستيك) قابلة للتعديل



ITEM CODE Kod No	r (mxm) Type r (mxm) Cinsi
10069	12 X 12
10070005	A/2 Short Nozzle/Kısa Meme
100700060001	A/2 Long Nozzle/uzun Meme

PLASTIC SPRINK
PLASTİK SPRİNK

A/30 пластиковый спринклер (регулируемый)

A/30 (مرشة بلاستيك) قابلة للتعديل



ITEM CODE Kod No	r (mxm) Type r (mxm) Cinsi
10065 (A/30)	12 X 12
10072 (K/30)	12 X 12

B/2 SPRINKLER (Angled)
B/2 SPRİNK

B/2 спринклер (нерегулируемый)

B/2 (مرشة بلاستيك) مع صنارة



ITEM CODE Kod No	r (mxm) Type r (mxm) Cinsi
10075	24 X 24

B/2 SPRINKLER
B/2 SPRİNK (Açısız)

B/2 спринклер (регулируемый)

B/2 (مرشة بلاستيك) قابلة للتعديل



ITEM CODE Kod No	r (mxm) Type r (mxm) Cinsi
10079	24 X 24

PIPE LINE VALVES
PEP HAT VANASI
вентил с трубой
مـحبس افقي

ITEM CODE Kod No	Ød (mm) Ød (mm)
08026075	75
08026090	90

NEW PRODUCT



PEP ENDPLUG
PEP KÖRTAPA
PEP заглушка
وصله انابيب

ITEM CODE Kod No	Ød (mm) Ød (mm)
08014075	75
08014090	90
08014110	110
080141253MS	125



KPEA ENDPLUG
KPEA KÖRTAPA
KPEA заглушка
سدة KPEA

ITEM CODE Kod No	Ød (mm) Ød (mm)
08014125 A	125
08014140 A	140
08014160 A	160



PEP GASKET
PEP CONTA
PEP прокладка
جوان PEP

ITEM CODE Kod No	Ød (mm) Ød (mm)
08031075	75
08031090	90
08031110	110
08031125MNDL	125



KPEA GASKET
KPEA CONTA
KPEA прокладка
جوان KPEA

ITEM CODE Kod No	Ød (mm) Ød (mm)
08031125	125
08031140	140
08031160	160



PEP MUFF MALE
PEP ERKEK KAFA

PEP муфта с наружным соединением

رأس أنبوب ذكر PEP




ITEM CODE Kod No	Ød (mm) Ød (mm)
08116075	75
08116090	90
08116110	110
08116110MNDL	110 (Üç Mandal)
08116125MNDLS	125 (Üç Mandal)

PEP MUFF FEMALE
PEP DİŞİ KAFA

PEP муфта с внутренним соединением

رأس أنبوب أنثى PEP



ITEM CODE Kod No	Ød (mm) Ød (mm)
08120075	75
08120090	90
08120110	110
08120110MNDL	110 (Üç Mandal)
08120125MNDLS	125 (Üç Mandal)

KPEA MUFF MALE
KPEA ERKEK KAFA

KPEA муфта с наружным соединением

رأس أنبوب ذكر KPEA



ITEM CODE Kod No	Ød (mm) Ød (mm)
08116125+07120125	125
08116160+07120140	140
08116160+07120160	160

KPEA MUFF FEMALE
KPEA DİŞİ KAFA

KPEA муфта с внутренним соединением


رأس أنبوب أنثى KPEA



ITEM CODE Kod No	Ød (mm) Ød (mm)
08120125+07121125	125
08120140+07121140	140
08120160+07121160	160

KPEA MALE REPAIR PIECE
KPEA ERKEK KAFA KELEPÇESİ
Хомут с зажимом
قطعة إصلاح ذكر مع مربط KPEA

ITEM CODE Kod No	Ød (mm) Ød (mm)
07120125	125
07120140	140
07120160	160




KPEA FEMALE REPAIR PIECE
KPEA DİŞİ KAFA KELEPÇESİ
Хомут
مربط لراس انثى

ITEM CODE Kod No	Ød (mm) Ød (mm)
07121125	125
07121140	140
07121160	160



PEP LOCKING HANDLE (Narrow)
PEP SAC MANDAL (Dar)
Зажим металлический узкий
PEP (مقبض)ضيق

ITEM CODE Kod No	Ød (mm) Ød (mm)
08127001	75-90



PEP LOCKING HANDLE (Wide)
PEP SAC MANDAL (Geniş)
Зажим металлический широкий
PEP (مقبض)واسع

ITEM CODE Kod No	Ød (mm) Ød (mm)
08137001	110



PEP MANDAL YAYI

ITEM CODE Kod No
08157



PEP PERÇİN

ITEM CODE Kod No	dxL (mm) dxL (mm)
08146075 AD	5x34
081461100001 AD	5x42



EGEPLAST
"quality at plastic pipe"

DRIP IRRIGATION SYSTEMS

DAMLA SULAMA SİSTEMLERİ



K - Q
TSE-ISO-EN
9000

TS EN ISO 9001:2008


EGE YILDIZ
"plastik boruda kalite"

DRIP IRRIGATION SYSTEMS

Drip irrigation is an advanced technology in irrigation systems. The principle of the drip irrigation is to feed the plant Daily before any desire on for water. In other words, it can be summarized as" watering the plant not the soil". In drip irrigation systems it's possible to irrigate everyday or times a week. Fertilizers can also be applied to plant's root zone in required quantities. Thus a great increase in yield and quality can be achieved. Irrigation of greenhouses, olive, fruit, banana orchards, vineyards and vegetable farms with furrows (tomato, pepper, eggplant, cucumber, corn, cotton, bean, sunflower, strawberry, melon, muskmelon, kiwi etc.).

DAMLAMA SULAMA SİSTEMLERİ

Mevcut sulama sistemleri içerisinde en ileri teknolojidir. Damla sulama da temel prensip bitkinin günlük su ihtiyacını, bitkide aşırı su isteği yaratmadan damla şeklinde verilmesidir. Bir başka deyişle toprağı değil, bitkiyi sulama demektir. Damla sulama metodunda sulama suyu ile birlikte bitki bu ihtiyacını karşılamak için kimyevi gübre uygulamasında her gün yada 2-3 günde bir yapılabilmektedir. Böylece verimde ve kalitede önemli miktarda artış sağlamak mümkün olur. Damla sulama genel olarak bütün seralarda, narenciye, zeytin, meyve ve muz bahçelerinde, bağda ve tarlaya ekilen gıda bitkilerinde (domates, biber, patlıcan, hıyar, mısır, pamuk, fasulye, ayçiçeği, çilek, kavun, karpuz,kivi vb.) kullanılmaktadır.



DRIP IRRIGAION SYSTEM WITH 6 HOLES AND DOUBLE FLOW WAYS

Drip Irrigation System With 6 holes and Double Flow Ways manufactured in our modern plant, the speed pf irrigation can be decreased with the same water quantity in the system because the speed of the water is divided in two ways. Because of the two flow ways in drippers total holes in dripper are doubled comparing tje other one way drippers. Drip Irrigation System With 6 Holes and Double Flow Ways minimize cloggage occuring with the insufficient, faulty, wrong usage of tje filter systems, insufficient fertiliser usage and increase life time of systems.

ALTI DELİKLİ ÇİFT AKIŞ YOLLU DAMLA SULAMA SİSTEMİ

Modern tesislerde ISO 9001 Kalite Standartlarında üretimini yaptığımız altı delikli çift akış yollu damla sulama sisteminde damlatıcı debisi çıkışta ikiye bölündüğü için sistemde toplam su miktarı azaltılmadan sulama hızı düşürülmüş olur. Damlatıcının çift akış yollu özelliğinden dolayı, diğer tek çıkışlı damlatıcılara nazaran üzerindeki toplam çıkış adedi iki misli arttırılmıştır. Damlatıcı üzerindeki çift akış yolu toplam altı delik sayesinde; filtre ve sistemini yetersiz, yanlış veya hatalı kullanılması, uygun olmayan gübre eriyikleri seçimi ve kullanılması sonucunda damlatıcı çıkışında oluşabilecek tıkanmalar minimize edilmiş ve kullanım ömrü diğer tek çıkışlı sistemlere nazaran daha da arttırılmıştır.

ECO DRIP IRRIGATION PIPES
EKO DRİP DAMLA SULAMA BORULARI

EKO трубы для капельного орошения

أنابيب الري بالتنقيط

S= 0.9 mm



ITEM CODE Kod No	Ø/Lt (cm) Ø/Lt (cm)
19000EKD16202L	16/2/20
19000EKD16204L	16/4/20
19000EKD16252L	16/2/25
19000EKD16254L	16/4/25
19000EKD16332L	16/2/33
19000EKD16334L	16/4/33
19000EKD16402L	16/2/40
19000EKD16404L	16/4/40
19000EKD16502L	16/2/50
19000EKD16504L	16/4/50
19000EKD16752L	16/2/75
19000EKD16754L	16/4/75

EGE DRIP IRRIGATION PIPES
EGE DRİP DAMLA SULAMA BORULARI

EGE трубы для капельного орошения

أنابيب الري بالتنقيط

S= 1.1 mm



ITEM CODE Kod No	Ø/Lt (cm) Ø/Lt (cm)
1900001600202L	16/2/20
1900001600204L	16/4/20
1900001600252L	16/2/25
1900001600254L	16/4/25
1900001600332L	16/2/33
1900001600334L	16/4/33
1900001600402L	16/2/40
1900001600404L	16/4/40
1900001600502L	16/2/50
1900001600504L	16/4/50
1900001600602L	16/2/60
1900001600604L	16/4/60
1900001600752L	16/2/75
1900001600754L	16/4/75
1900001601002L	16/2/100
1900001601004L	16/4/100

EGE PC (PRESSURE COMPENSATED) DRIP IRRIGATION PIPES
EGE PC DRİP DAMLA SULAMA BORULARI

EGE трубы для капельного орошения
с компенсатором

أنابيب الري بالتنقيط

S= 1.1 mm



ITEM CODE Kod No	Ø/Lt (cm) Ø/Lt (cm)
19000PC160202L	16/2/20
19000PC160252L	16/2/25
19000PC160332L	16/2/33
19000PC160402L	16/2/40
19000PC160502L	16/2/50
19000PC160602L	16/2/60
19000PC160752L	16/2/75
19000PC161002L	16/2/100

LDPE ECO DRIP IRRIGATION PIPES
AYPE EKO DAMLA SULAMA BORULARI TS-9261
ПВД труба для капельного орошения
أنابيب الري بالتنقيط بكثافة منخفضة

ITEM CODE Kod No	Ød(cm)/S(mm) Ød(cm)/S(cm)	Coil Lenght Coil Lenght
190010160090	16/0,9	400
190010200120	20/1,2	200
190010250140	25/1,4	100
190010320160	32/1,6	100




LDPE DRIP IRRIGATION PIPES
AYPE DAMLA SULAMA BORULARI TS-9261
ПВД труба для капельного орошения
أنابيب الري بالتنقيط بكثافة منخفضة

ITEM CODE Kod No	Ød(cm)/S(mm) Ød(cm)/S(cm)	Coil Lenght Coil Lenght
190010160120	16/1,1	300
190010200200	20/1,9	200
190010250200	25/1,8	100
190010320200	32/2,0	100
190010400250	40/2,4	100
190010500350	50/3	100
190010630350	63/3,5	100
190010750560	75/5,6	100
190010900670	90/6,7	100



DRIPPING NOZZLE
DAMLAMA MEMESİ
Капельница
ابره تنقيط

ITEM CODE Kod No	Drip Debi	Color Renk
19196 K	2 lt/h	Red/Kırmızı
19196 Y	4 lt/h	Green/Yeşil
19196 S	8 lt/h	Black/Siyah
19198	4 lt/h	Pressure Compensated/Basınç Ayarlı
19197	1-14 lt/h	Volume of flow Compensated/Debi Ayarlı
19197 PİLTAR	1-14 lt/h	Red/Kırmızı



DRIPPING GASKET
DAMLAMA CONTASI
Прокладка
جوان

ITEM CODE Kod No	Ød (mm) Ød (mm)
19131016	16



DRIPPING NIPPEL
DAMLAMA NİPEL
Ниппель
وصله تجميع



ITEM CODE Kod No	R"xØd (mm) R"xØd (mm)
19118016	16
191170200016	20/16

DRIPPING SCREWEND NIPPEL
DAMLAMA PASOLU NİPEL
Ниппель с резьбой
وصله ذكر بسن



ITEM CODE Kod No	R"xØd (mm) R"xØd (mm)
191180160020	1/2"x16

DRIPPING TEE
DAMLAMA TE
Тройник
تي



ITEM CODE Kod No	Ød (mm) Ød (mm)
19125016	16x16x16
19125020	20x20x20

DRIPPING ELBOW
DAMLAMA DİRSEK
угольник
عاكس



ITEM CODE Kod No	Ød (mm) Ød (mm)
19138016	16

DRIPPING ENDPLUG
DAMLAMA KÖRTAPA
Заглушка
سدة



ITEM CODE Kod No	Ød (mm) Ød (mm)
19114016	16
19114020	20

DRIPPING VALVE
DAMLAMA VANASI (Kurtağızlı)
Вентиль для капельных труб
صمام للتنقيط

ITEM CODE Kod No	Ød (mm) Ød (mm)
19119	16x16



DRIPPING DRILLING EQUIPMENT
DAMLAMA DELME APARATI
Фреза для капельных труб
معدات للتنقيط

ITEM CODE Kod No	Ød (mm) Ød (mm)
19195	4



FERTILIZER TANK
METAL GÜBRE TANKI
Резервуар для удобрения
خزان معدني للأسمدة

ITEM CODE Kod No	Volume (lt) Hacim (lt)
10102001	50 lt
10102002	100 lt



METAL FILTER WITH DISK
DİSKLİ METAL FİLTRE
Металлический фильтр с диском
مصفاة معدنية مع قرص

ITEM CODE Kod No	Ød (İnc) Ød (İnç)
10105	2″
10108	2,5″
10106	3″
10107	4″




EGEPLAST
"quality at plastic pipe"

DEEP WELL PIPES & FITTINGS

SONDAJ BORU VE EK PARÇALARI

6 DELİKLİ
ÇİFT AKIŞ YOLLU
DAMLA SULAMA SİSTEMİ

DRIP IRRIGATION SYSTEM
WITH 6 HOLES
AND DOUBLE
FLOW WAYS



K - Q
TSE-ISO-EN
9000


TS EN ISO 9001:2008

EGE YILDIZ
"plastik boruda kalite"

Characteristics for casing pipes (0-100m)

Outside Diameter (mm) Dış Çap(mm)	Inside Diameter (mm) İç Çap(mm)	Wall Thickness (mm) Et Kalınlığı(mm)
88	80	4
113	103	5
125	114	5.5
140	127	6.5
175	159	8
200	182	9
225	205	10
280	255	12.5

Deep well profile / Derin kuyu kesiti



DEEP WELL PIPES AND FITTINGS

EGEPLAST, U-PPVC casing (deep well) pipes and fittings according to TS-11794 standart. Casing pipes are fabricated in different sizes as 88 – 113 – 125 – 140 – 175 – 200 – 225 – 280 mm, in plain and perforated types. The pipe lenghts can be 2 meters, 3 meters or 4 meters according to the demand. The fittings such as casing reducer and conic spurs are also manufactured by EGEPLAST.

SONDAJ BORU VE EK PARÇALARI

EGEPLAST, TS-11794 standartına göre U-PVC sondaj ve derin kuyu boru ve ek parçaları üretimini gerçekleştirmektedir. Düz ve filtreli olmak üzere iki tip olan sondaj boruları 88 – 110 – 125 – 140 – 175 – 200 – 225 – 280 mm çaplarında, 2 metre , 3 metre ve 4 metre boylarda üretilmektedir. Redüksiyon, konik mahmuz gibi gerekli ek parçalar da EGEPLAST tarafından üretilmektedir.

SONDAJ BORU VE EK PARÇALARI / DEEP WELL PIPES AND FITTINGS

CASING PIPE WITHOUT FILTER
SONDAJ BORUSU (DÜZ) 100M

ПВХ обсадная труба без фильтра

أنابيب حفر الأبار





ITEM CODE	Diameter mm	Lenght of Pipe	Wall Thickness mm
101530882000	88	2000	4.00
101530883000	88	3000	4.00
101530884000	88	4000	4.00
101531132000	113	2000	5.00
101531133000	113	3000	5.00
101531134000	113	4000	5.00
101531252000	125	2000	5.50
101531253000	125	3000	5.50
101531254000	125	4000	5.50
101531402000	140	2000	6.50
101531752000	175	2000	8.00
101531753000	175	3000	8.00
101531754000	175	4000	8.00
101532002000	200	2000	9.00
101532003000	200	3000	9.00
101532004000	200	4000	9.00
101532252000	225	2000	10.00
101532253000	225	3000	10.00
101532254000	225	4000	10.00
101532802000	280	2000	12.50
101532803000	280	3000	12.50
101532804000	280	4000	12.50

CASING PIPE WITHOUT FILTER
SONDAJ BORUSU (DÜZ) 300M

ПВХ обсадная труба без фильтра

أنابيب حفر الأبار





ITEM CODE	Diameter mm	Lenght of Pipe	Wall Thickness mm
103500882000	88	2000	5.00
103500883000	88	3000	5.00
103500884000	88	4000	5.00
103501132000	113	2000	6.50
103501133000	113	3000	6.50
103501134000	113	4000	6.50
103501252000	125	2000	7.10
103501253000	125	3000	7.10
103501254000	125	4000	7.10
103501402000	140	2000	8.00
103501752000	175	2000	10.00
103501753000	175	3000	10.00
103501754000	175	4000	10.00
103502002000	200	2000	11.50
103502003000	200	3000	11.50
103502004000	200	4000	11.50
103502252000	225	2000	13.00
103502253000	225	3000	13.00
103502254000	225	4000	13.00
103502802000	280	2000	16.00
103502803000	280	3000	16.00
103502804000	280	4000	16.00

CASING REDUCER
SONDAJ REDÜKSİYON
ПВХ переходник
نقاص لأنابيب حفر الأبار

ITEM CODE	Diameter mm
101471130088	113/88
101471250113	125/113
101471400125	140/125
101471700140	175/140
101472000125	200/125
101472000175	200/175
101472250200	225/200
101472800225	280/225



CASING CONIC SPUR
SONDAJ KONİK MAHMUZ
ПВХ заглушка
قطعة مخروطية لأنابيب حفر الأبار

ITEM CODE	Diameter mm
10149088	88
10149113	113
10149125	125
10149140	140
10149175	175
10149200	200
10149225	225
10149280	280



Kalite Belgelerimiz





PPRC HİJYEN

PE HİJYEN RUSYA BEARUS KAZAKİSTAN

PVC TEMİZ SU HİJYEN

TS EN 12201-2+A1 / PE100 BORU

TS EN 13476-3+A1 / KORUGE BORU

TS EN ISO 1452-2 / PVC-U TEMİZ SU BORULAR

TS 10762-2 EN ISO 15875-2 / PEX B BORULAR

TS EN 1401-1 / PVC-U KANALİZASYON BORULARI

TS 9128 / PVC-U DRENAJ BORULARI

TS 13715 / EGEKOMPOZİT BORULAR

TS EN 607 / PVC-U YAĞMUR OLUĞU VE EK PARÇALARI

TS EN ISO 15874-3 / EGETHERM EK PARÇALARI

TS EN 1329-1 / PVC-U PİSSU BORU VE EKLEME PARÇALAR

TS EN ISO 15874-2 / EGETHERM BORULARI

TS EN 1452-3 / PVC-U TEMİZ SU EK PARÇA

TS EN ISO 9261 / DAMLAMA BORULARI

TS EN 12201-3 +A1 / PE 100 EK PARÇALAR(ALIN KAYNAKLI)

TS EN 1555-2 / E 80 DOĞALGAZ BORULARI

PPRC TEMİZ SU HİJYENTS EN ISO 1451-1 / PP PİS BORU VE EKLEME PARÇALARI

EGE YILDIZ
"plastik boruda kalite"

EGEPLAST
"quality at plastic pipe"

İSTANBUL KOZYATAĞI BRANCH OFFICE

Kozyatağı Bayar Caddesi Gülbahar Sokak No:15
Egeyıldız Sitesi Kadıköy / İSTANBUL
P: +90 (216) 362 97 27
F: +90 (216) 373 88 32

ANKARA BRANCH OFFICE

Rüzgarlı Ege Sokak Egeyıldız İşhanı Ulus/ ANKARA
P: +90 (312) 310 31 85
F: +90 (312) 310 01 84

ANTALYA BRANCH OFFICE

Yenigöl Mahallesi Manolya Sokak No:58/60 Muratpaşa / ANTALYA
P: +90 (242) 340 08 72
F: +90 (242) 340 08 73

ADANA BRANCH OFFICE

Güzelevler Mahallesi 1964/1 Cadde No:14 Kat:Z No:2 / ADANA
P: +90 (322) 346 74 21
G: +90 (553) 254 25 63

İZMİR FACTORY HEAD OFFICE

10003 Sok. No:6 Atatürk Organize Sanayi Bölgesi Çiğli / İZMİR
P: +90 (232) 376 66 31
F: +90 (232) 376 81 43

www.egeplast.com.tr www.egeyildiz.com.tr